

NC Controlled Substance License #: NC-DHHS-1002881  
 DEA Controlled Substance License #: RD0577986  
 ISO 17025 Certification: PENDING  
 Proficiency Testing Enrolled: Hemp PT Program U of Kentucky Regulatory Services

# ANALYTICAL

## Delta 9 Analytical

*Professional, Accurate, Responsive*

**Laboratory Location**  
 6308 Angus Drive, Ste B  
 Raleigh NC 27617  
 919-673-7153 / 919-450-1870  
 frank@delta9analytical.com  
 michael@delta9analytical.com

Client Name: **Green Wilde Homestead**  
 Client Address: 367 Blowhole Rd  
 Marshall, NC 28753  
 Grower/Processor Lic#: **NC 2104**

Sample ID: **1515**  
 Received Date: 01082021  
 Reported Date: 01102021  
 Test(s) Ordered: **Cannabinoids**

Sample Name: **Coconut Oil Salve**  
 Sample Type: Extract  
 Sample Matrix: Salve  
 Sample Size: 2oz



**CANNABINOID SUMMARY**

**TOTAL CANNABINOIDS: 0.5100%**  
**TOTAL CBD: 0.5100% (306 mgs/2oz)**  
**TOTAL THC: <0.05%**  
**Δ9-THC: <0.05%**

### CANNABINOIDS (Liquid Chromatography Mass Spectrometry - LCMS)

ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)	ANALYTE	MASS (%)	MASS (mg/g)	LOQ (%)
Cannabinol (CBN)	ND	ND	0.05	Cannabidiolic Acid (CBDA)	<0.05	<0.5	0.05
Δ8-THC	ND	ND	0.05	Δ9-THC Acid (THCA)	ND	ND	0.05
Cannabichromene (CBC)	<0.05	<0.5	0.05	THC-varian (THCV)	ND	ND	0.05
Cannabigerol (CBG)	<0.05	<0.5	0.05	***Δ9-THC	<0.05	<0.5	0.05
Cannabidiol (CBD)	0.5098	5.098	0.05	**TOTAL CANNABINOIDS	0.510	5.10	
Cannabigerolic Acid (CBGA)	<0.05	<0.5	0.05	*TOTAL THC	<0.05	<0.5	
Cannabidivarin (CBDV)	<0.05	<0.5	0.05	*TOTAL CBD	0.510	5.10	

\*Calculated as follows: Total CBD/G = CBD/GA% (0.877) + CBD/G%. Total THC = THCA% (0.877) + Δ9-THC %. \*\*Total Cannabinoids is the absolute sum of all cannabinoids detected. ND = Not Detected

**RESULT CERTIFICATION**

01102021

*Frank P. Mauricio / Michael R. Horton*

Frank P. Mauricio COO/Michael R. Horton CSO & Date






Scan QR Code to verify COA at [www.delta9analytical.com](http://www.delta9analytical.com)

Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. \*\*\*The uncertainty of measurement associated with the measurement result reported in this certificate is available from D9A upon request. This report may not be reproduced, except in full.